

PANZERI

JACKIE

220-240V AC dimmable (Step DIM)

C07730.000.0409

Table lighting fixture for interiors, with swivelling light beam. Pickled sheet metal bearing base in polyacrylic paint. Extruded aluminium frame in white, black, red, matt brass or titanium polyacrylic paint. Die-cast aluminium joints in polyacrylic paint. Steel wire rope slings. Die-cast aluminium head rotating on two axes in polyacrylic paint. Modelled acrylic diffuser with matt finish and double serigraphy. Push-button to adjust luminosity according to 5 levels of visual comfort. Equipped with a 1,6m (63") long power cable with jack connector and adapter plug.




Data sheet

CODE	C07730.000.0409
SYSTEM POWER CONSUMPTION	10W
EFFICACY	52.6lm/W
LIGHT SOURCE	LED
LIGHT SOURCE LIFETIME	L90 (B10) 50.000h
COLOUR TEMPERATURE	3000K Ra>90
LIGHT DISTRIBUTION	Adjustable
POWER SUPPLY	220-240V AC
FREQUENCY	50/60Hz
ELECTRICAL CONFIGURATION	Dimmable (Step DIM)
DRIVER	Integrated Included
NOMINAL LUMINOUS FLUX	600lm
LUMEN OUTPUT	526lm
EFFICIENCY	87.667%
WEIGHT	4,2050Kg
PROTECTION DEGREE	IP40
COLOUR TOLLERANCES	SDCM 3
PACKING DIMENSIONS (CM)	0 x 0 x 0

Titanium



Technical drawing



Polar pattern

