




SAMSUNG SDS



Samsung
SMART Doorlock



SHS-P717



三心 / 清原廠行貨 SMART Choice for Official Products!

	 原廠正貨 (行貨) Official Export Product	 非法改裝 / 水貨 Unofficial & Refurbished Product
 語言 LANGUAGE	英文版本 原廠正貨 English version - genuine product guaranteed - 語言簡易明白 User-friendly Notifications - 詳細產品說明書及完整文件 Full Contents & Documentations - 官方中文及英文用戶指南 Official English & Chinese User Guides 	韓文版本 全是水貨 Korean version - Illegally modified & Unofficial product - 國外語言，難於明白 Foreign Notifications - 沒有完整的產品說明書 Incomplete Contents - 沒有認可的出口文件 Incompatible documentations for export specifications 
 鎖芯類型 MORTISE TYPE	SHS-AML100 SHS-AML220  *只適用於香港及澳門 Applicable to Hong Kong and Macau Only	SHS-AML300 SHS-AML320 
 安全程度 SECURITY LEVEL	更安全 More secure - 原廠安裝配件 Original parts for local installation use - 符合香港屋宇署耐火時效測試 BS EN 1634-1:2008 (60分鐘mins) Complies with Hong Kong Fire Resistance Period Test 	缺乏保障 Less secure - 缺少部份產品操作功能及配件 Missing functions & parts - 非法改裝產品結構，把手由拉出變推入 Illegally modified the product structure, from pull out to push in door operation - 不符合香港所需防火條例 Fails to comply any Hong Kong Fire resistant requirement
 售後服務 AFTER SALES SERVICES	- 原廠感應保養卡 RF Warranty Card 2年產品保養證 2-Year Product Warranty - 經PLC專業技術人員上門安裝， 可享有1年安裝保養服務。 For products originally installed by PLC technicians, the customer can enjoy one year installation warranty service. - 官方的客戶服務熱線及 維修中心 Official Customer Service Hotline & Maintenance Centre   	非官方及原廠保養，使用舊零件維修 Unofficial / informal repair works using non-original & old parts.

DISCLAIMER: All information are subjected to change at anytime without prior notice by The PLC Group or its associated partners/suppliers. Should there be any variations in product functionality, outlook, technical specifications, documentation, service, warranty, promotions and/or pricing, the actual offering at the time of purchase shall be the confirmed version.
 . The catalog information is for reference only. For updated details, please contact The PLC Group.
 . In case of dispute, The PLC Group reserves the right to final decision.
 . If there is any inconsistency or conflict between English and Chinese version, the English version shall prevail.

Samsung SMART Doorlock names and logos are registered trademarks and properties of SAMSUNG SDS CO. LTD., any use without prior written consent is prohibited. Copyright© 2016 All rights reserved.


insight to Inspiration SAMSUNG SAMSUNG SDS

EXCLUSIVE DISTRIBUTOR For HONG KONG & MACAU 香港及澳門獨家總代理

只在 Samsung 特約正貨商號有售
Available At Selected SMART Doorlock Official Dealers
www.samsung-smartdoorlock.com



Head Office 辦公室: Unit A-D, 9/F., Gemstar Tower, 23 Man Lok Street, Hunghom, Kowloon, Hong Kong. 香港九龍紅磡民樂街23號駿昇中心9樓A-D座
 Customer Service Hotline 客戶服務熱線: (852) 2765 9667 Fax 傳真: (852) 2330 2082 Email 電郵: plc@plc.com.hk Website 網址: www.plc.com.hk



SHS-P717





Easy Way to Open Door 便捷開門

- Reform opening/closing motion PUSH / PULL handle 改革舊有開關門模式，只需一個簡單動作(推或拉)



Traditional lock 2 steps (Turn and Push)



New lock 1 step (Just Push)



- User-friendly Accessibility 簡易使用
多種開門方式保證方便安全出入



User Access Code
用戶密碼



RF Sticker /
Tag / Card
感應貼/匙牌/卡



Mechanical
Override Keys
機械鎖匙(後備)



Smart Functions 智能模式

- Auto Wake-up 懸浮感應

Detect motion with 10cm and wake up the pad screen
10厘米懸浮感應，只需輕揮手掌，即可喚醒屏幕




Auto Wake-Up
懸浮手動

Detection performance depends on installation environment
安裝環境會影響懸浮感應的表現

- Panel Notification 屏幕顯示

English notification on touch panel (LOCKED / TRY AGAIN / UNLOCKED)
屏幕顯示門鎖狀態 (開啟 / 重試 / 鎖定)



- Double Authorization 雙重驗證功能

User access code + RF sticker / tag / card
用戶密碼 + 感應貼 / 匙牌 / 卡



Powerful Security 強勁安全性



- Manner Mode 安睡模式
Make a quiet entrance at late night
暫停開鎖提示音



- Door Lock Time Set Up Function 關門時間功能
When the door is closed, the deadbolt relock time can be adjusted to user preference (approx. 0-9sec)
關門時，可調節門栓鎖定時間的功能



- 14 Patents
14個專利



- Enhanced Security 增強安全性
Physical jolts, unauthorized user access codes or cards activate the alarm or time out
當有人非法強行開門，輸入未受權的用戶密碼或匙卡，警報會即時啟動



- Robust structural-design 穩固的結構設計
Integrated structure of handle and main body that prevents forced entrance
把手及鎖體結構自成一體，防止強行開門而造成之損壞



- Reliability Test 可靠測試
Surpassed 120,000 times opening & closing operations
開關門鎖次數測試



- Emergency External Power 緊急外置電源
Jump-starts the lock with a 9V battery for instant power
用9V電池作為後備電源




Specification 規格

Model 型號 [L (For In-Swing Door 推入) X (For Out-Swing Door 拉出)	Black 黑色 SHS-P717LMK SHS-P717XMK	Gold 金色 SHS-P717LMG SHS-P717XMG
RF Card Registration (maximum registration) 感應卡登記(最多登記量)	Up to 30 RF tags / cards	
RFID	Mifare type A ISO 14443A type (13.56Mhz)	
User Access Code 用戶密碼	4-12 digits number (1 set) 4-12位數字組合 (一組)	
Material 物料	Zi Alloy, Al Alloy, Acrylic, PC & ABS Plastic 鋅合金, 鋁合金, 亞加力及塑膠	
Size (WxHxD) 尺寸 (寬x高x深) 毫米	Outer body 門外: 85 x 347 x 61mm Inner body 門內: 86 x 355 x 63mm	
Backset 鎖中尺寸(毫米)	70mm	
Weight 重量	3.9 kg (including both inner and outer bodies 包括門內和門外門鎖)	
Door Thickness 門厚(毫米)	45-60mm (1-3/4" to 2-3/8") / 最多厚度 Max. >60-80mm (2-3/8" to 3-1/8") 選擇使用 (ASM260) 配件, optional*	
Power 電源	DC 6V AA (LR6) Alkaline batteries 鹼性電池 x 8	
Battery Life 電池壽命	Approximately 12 months 電池壽命 (average -10 times per day) 約12個月 (平均10次/天)	
Emergency Power Source 緊急電源	9V (6LF22) Alkaline Battery 鹼性電池	
Included Accessories 附送額外配件	2 RF tags, 1 RF warranty card & 5 Mechanical override keys 2張感應匙牌, 1張感應保養卡及5條機械鎖匙	

More secure 行貨更安全

Password required to change lock settings or user registrations (access codes, RF tag/card)
需輸入主用戶密碼來改動門鎖設置，例如：新用戶密碼、匙牌/卡



Structure 結構

