



2022 Product Price Reference  
參考價目表



# Occupancy Sensor

## 節能人體感應開關

雙重感應 萬無一失

[se.com/hk](http://se.com/hk)

Life Is On

**Schneider**  
Electric  
施耐德電氣



# CONTENTS 目錄

- 1-2 Overview  
簡介
- 3 Dual Technology Occupancy Sensors  
雙頻感應開關
- 3 High Frequency Motion Sensor  
高頻感應開關
- 4 PIR Motion Sensors  
被動式紅外線感應開關
- 4 Mini PIR Motion Sensors  
迷你被動式紅外線感應開關
- 5 90° PIR Wall Mount Motion Sensors  
90°掛牆被動式紅外線感應開關
- 5 Automatic & Electronic Switches (IP66)  
自動及電子開關掣 (IP66)



## Building Energy Efficiency 建築物能源效益

To enhance the energy efficiency of buildings, the Government has enacted the Buildings Energy Efficiency Ordinance. The Ordinance stipulates that designated commercial buildings are required to comply with the Building Energy Code, such as entrance lobby, public access, offices and meeting rooms. Owners and commercial users are required to adopt switches with motion sensor technology to comply with the regulatory standard.

為提升建築物能源效益，政府已制訂《建築物能源效益條例》，訂明指定商業建築物須遵守《建築物能源效益守則》，受規管範圍包括：入口大堂、公眾通道、辦公室及會議室。業主及商業用家須選用具備人體感應開關技術的燈掣，以確保符合規管標準。

## Convenient and Efficient Lighting Control 方便及高效的燈光調控

Leveraging state-of-the-art infrared, ultrasonic, high-frequency or dual-technology capabilities, occupancy sensors offer you the ultimate in reliable, efficient and cost-effective indoor lighting control.

採用最先進的紅外線、超聲波、高頻或雙頻感應技術，節能人體感應開關為你提供更可靠、高效且節能的室內燈光調控。



### Convenience 方便

Hands-free control  
毋須手動開啟



### Energy Saving 節能

Lights turn off automatically when  
no one is detected  
感應無人時自動關燈



### Safety 安全

Avoid walking in darkness and with  
security effect  
避免摸黑行走，具有保安作用

## Product Features 產品特點

- Suitable for different lighting loads (LED/ Incandescent Lamp/ Halogen Lamp/ Fluorescent Lamp)  
適用於不同燈光負載 (LED/ 白熾燈/ 石英燈/ 熒光燈)
- Combination of infrared and ultrasonic detection technologies\*  
結合紅外線及超聲波感應技術\*
- High-frequency detection for high bay applications\*  
高頻感應適用於高樓底空間\*
- Simple programming by infrared remote controller\*  
紅外線遙控器令編程更簡單\*
- Dual loading\*  
雙負載控制\*
- Measurable energy savings  
可量度之節能效果

\* Applicable for selected models only 只適用於精選型號

### Technology 技術

#### Passive Infrared (PIR) 被動式紅外線



Incorporating segmented lens, passive infrared motion sensors divide coverage areas into easy-to-monitor occupancy zones which are ideal for detection of walking or high level movement in small and enclosed spaces.

配備內置分段鏡頭，被動式紅外線開關將覆蓋範圍分成多個易於監察的感應區，對探測細小及密封空間內的步行及大幅度移動尤其敏感。

#### Ultrasonic 超聲波



Ultrasonic sensors detect occupancy by monitoring acoustic frequency shifts caused by minor movements, such as typing and reading. As no unobstructed line of sight is needed, they are perfect for spaces like offices with cubicles or restrooms with stalls.

超聲波開關可探測任何微細動作的頻率轉變，如打字及閱讀。由於毋須暢通視線，最適合於間隔密集的辦公室或洗手間內使用。

#### High Frequency 高頻



High-frequency motion sensors offer long-distance detection of small motions by utilizing Doppler Effect, permeate solid materials like wood, glass and plaster wall, resist temperature influences and require no direct sight of moving objects.







利用多普勒效應，高頻感應開關可在長遠距離偵測微小動作，更可穿透堅固物質，如木材、玻璃及石膏牆，無懼溫度變化和毋須直接照射移動物。

#### Dual Technology 雙重技術



Combining both passive infrared and ultrasonic technology, dual-technology occupancy sensors offer maximum effectiveness for a wide variety of applications.

結合被動式紅外線及超聲波兩種技術而成的雙感應開關為多種不同環境應用提供最大效能。

 Passive infrared detecting large body movement 被動式紅外線探測大動作	 High frequency detecting large body movement 高頻感應探測大動作	 Ultrasonic detecting large body movement 超聲波探測大動作
 Passive infrared detecting tiny body movement 被動式紅外線探測微細動作	 High frequency detecting tiny body movement 高頻感應探測微細動作	 Ultrasonic detecting tiny body movement 超聲波探測微細動作

### Applications 適用空間

<b>Passive Infrared Motion Sensor 被動式紅外線感應</b> <ul style="list-style-type: none"> <li>- Office Private Room 私人辦公室</li> <li>- Storeroom 儲物室</li> <li>- Printing Room 打印室</li> <li>- Corridor 走廊</li> <li>- Reception 接待處</li> </ul>	<b>Weatherproof Infrared Detector 戶外防水紅外線感應</b> <ul style="list-style-type: none"> <li>- Car Park 停車場</li> <li>- Entrance Way 入口通道</li> <li>- Garage Door 車庫門</li> <li>- Driveway 車道</li> <li>- Porch 門廊</li> <li>- Backyard 後院</li> </ul>
<b>High Frequency Motion Sensor 高頻感應</b> <ul style="list-style-type: none"> <li>- Warehouse 倉庫</li> <li>- Lobby 大堂</li> </ul>	<b>Dual Technology Occupancy Sensor 雙頻感應</b> <ul style="list-style-type: none"> <li>- Open Office 開放式辦公室</li> <li>- Classroom 課室</li> <li>- Meeting Room 會議室</li> <li>- Washroom 洗手間</li> </ul>

# Dual Technology Occupancy Sensors 雙頻感應開關

## High Frequency Motion Sensor 高頻感應開關

### Dual Technology Occupancy Sensors (Support IR Remote Controller) 雙頻感應開關 (支援紅外線遙控)



Description	Detection Range	Unit Pack Inner box/Carton	Unit Reference	Unit Price HK\$
360° Surface/Flush Mount Single-Load PIR and Ultrasonic Motion Sensor 360°明/暗裝被動式紅外線及超聲波 獨立負載雙頻感應開關	PIR 被動式紅外線 Ø 8m at H = 2.5m Ultrasonic 超聲波 16m(L), 10m(W)	1/8	<b>CCT551011</b>	\$3,656.00
180° Surface/Flush Mount Single-Load PIR and Ultrasonic Motion Sensor 180°明/暗裝被動式紅外線及超聲波 獨立負載雙頻感應開關	PIR 被動式紅外線 Ø 8m at H = 2.5m Ultrasonic 超聲波 10m(L), 8m(W)	1/20	<b>SAE-UE-MS-CU1WE</b>	\$3,523.00
IR Remote Controller 紅外線遙控器		1/6	<b>CCT556011</b>	\$1,094.00

### High Frequency Motion Sensor (Support IR Remote Controller) 高頻感應開關 (支援紅外線遙控)












Description	Detection Range	Unit Pack Inner box/Carton	Unit Reference	Unit Price HK\$
360° Surface/Flush Mount Dual-Load High Frequency Motion Sensor 360°明/暗裝雙負載高頻感應開關	Ø 14m at H = 2.5m Ø 10m at H = 10m	1/6	<b>CCT551023</b>	\$3,656.00
IR Remote Controller 紅外線遙控器		1/6	<b>CCT556023</b>	\$1,094.00

Minimum order quantity (MOQ) applies to some products. Please contact Sales Department for details.  
All prices are subject to change without prior notice.  
部份產品設最低訂購數量要求，詳情請聯絡營業部。  
價格如有更改，恕不另行通知。

# PIR Motion Sensors 被動式紅外線感應開關

## Mini PIR Motion Sensors 迷你被動式紅外線感應開關



### PIR Motion Sensors (Support IR Remote Controller) 被動式紅外線感應開關 (支援紅外線遙控)

Description		Detection Range	Unit Pack Inner box/Carton	Unit Reference	Unit Price HK\$
 SAE_UE_MS_CDDWE	 CCT551003	360° Surface/Flush Mount Dual-Load Dimmable Sensor (DC 1V-10V, 100mA) 360°明/暗裝雙負載可調控光感應開關 (1V-10V直流電, 100mA)	Ø 8m at H = 2.5m	1/20	<b>SAE_UE_MS_CDDWE</b> \$1,851.00
 SAE_UE_MS_CDBWE	 SAE_UE_MS_CDAWE	360° Surface/Flush Mount Dual-Load Wide Range Dimmable Sensor 360°明/暗裝雙負載大範圍可調控光感應開關	Ø 30m at H = 2.5m	1/8	<b>CCT551003</b> \$1,607.00
 SAE_UE_MS_CDBWE	 SAE_UE_MS_CDAWE	360° Flush Mount Dual-Load PIR Motion Sensor 360°暗裝雙負載被動式紅外線感應開關	Ø 7m at H = 2.5m	1/48	<b>SAE_UE_MS_CDBWE</b> \$953.00
 SAE_UE_MS_CDAWE	 SAE_UE_MS_CDAWE	360° Surface Mount Dual-Load PIR Motion Sensor 360°明裝雙負載被動式紅外線感應開關	Ø 7m at H = 2.5m	1/48	<b>SAE_UE_MS_CDAWE</b> \$857.00
 SAE_UE_MS_1R_WE		IR Remote Controller 紅外線遙控器		1/8	<b>SAE_UE_MS_1R_WE</b> \$223.00

### PIR Motion Sensor (Non-Support IR Remote Controller) 被動式紅外線感應開關 (不支援紅外線遙控)

Description		Detection Range	Unit Pack Inner box/Carton	Unit Reference	Unit Price HK\$
 SAE_UE_MS-CSAWE		360° Surface/Flush Mount Single-Load PIR Motion Sensor 360°明/暗裝獨立負載被動式紅外線感應開關	Ø 7m at H = 2.5m	1/44	<b>SAE_UE_MS-CSAWE</b> \$549.00

### Mini PIR Motion Sensors 迷你被動式紅外線感應開關

Description		Detection Range	Unit Pack Inner box/Carton	Unit Reference	Unit Price HK\$
 CCT570005		360° Flush Mount Mini Indoor Movement Detector 360°暗裝迷你室內感應開關 Dimension 尺寸 = Ø57 x 91mm Cut-out Dimension 門孔尺寸 = 45mm	Ø 6m at H = 2.5m	1/42	<b>CCT570005</b> \$1,755.00
 CCT570003		360° Flush Mount Dual-Load PIR Motion Sensor 360°暗裝雙負載被動式紅外線感應開關 Dimension 尺寸 = Ø80 x 36mm Cut-out Dimension 門孔尺寸 = 63mm	Ø 7m at H = 2.5m	1/48	<b>CCT570003</b> \$953.00

Minimum order quantity (MOQ) applies to some products. Please contact Sales Department for details.  
All prices are subject to change without prior notice.  
部份產品設最低訂購數量要求，詳情請聯絡營業部。  
價格如有更改，恕不另行通知。

# 90° PIR Wall Mount Motion Sensors 90°掛牆被動式紅外線感應開關 Automatic & Electronic Switches 自動及電子開關掣 (IP66)

## 90° PIR Wall Mount Motion Sensors 90°掛牆被動式紅外線感應開關



E3731MS2A\_GS  
E3751MS3A\_GS



E8331PIR3\_WE



E84731MS2A\_WE  
E84751MS3A\_WE

Description	Detection Range	Unit Pack Inner box/Carton	Unit Reference	Unit Price HK\$
NEO 90° PIR Wall Mount Switch (2 wires) (not support Fluorescent Lamp and Energy-Saving Lamp) 都會90°掛牆被動式紅外線感應開關 (2線) (不支援螢光燈及慳電膽)	Radius 7m Angle 90°	4/40	<b>E3731MS2A_GS</b>	\$1,262.00
NEO 90° PIR Wall Mount Switch (3 wires) 都會90°掛牆被動式紅外線感應開關 (3線)	Radius 7m Angle 90°	4/40	<b>E3751MS3A_GS</b>	\$1,326.00
AvatarOn 90° PIR Wall Mount Switch (3 wires) 奕尚90°掛牆被動式紅外線感應開關 (3線)	Radius 7m Angle 110°	8/48	<b>E8331PIR3_WE</b>	\$876.00
ZENcelo 90° PIR Wall Mount Switch (2 wires) (not support Fluorescent Lamp and Energy-Saving Lamp) 睿雅90°掛牆被動式紅外線感應開關 (2線) (不支援螢光燈及慳電膽)	Radius 7m Angle 90°	5/50	<b>E84731MS2A_WE</b>	\$832.00
ZENcelo 90° PIR Wall Mount Switch (3 wires) 睿雅90°掛牆被動式紅外線感應開關 (3線)	Radius 7m Angle 90°	5/50	<b>E84751MS3A_WE</b>	\$891.00

## Automatic & Electronic Switches 自動及電子開關掣 (IP66)



750WPR-GY

Description	Detection Range	Unit Pack Inner box/Carton	Unit Reference	Unit Price HK\$
10A 250V Weatherproof Infrared Detector 10A 250V 戶外防水紅外線感應開關	18m (Distance)	1/10	<b>750WPR-GY</b>	\$2,541.00

Minimum order quantity (MOQ) applies to some products. Please contact Sales Department for details.  
All prices are subject to change without prior notice.  
部份產品設最低訂購數量要求，詳情請聯絡營業部。  
價格如有更改，恕不另行通知。



## Notes

---

## Notes

---



Life Is On

**Schneider**  
Electric  
施耐德電氣



Chat with us  
線上即時對話



To know more about our  
products and solutions.  
了解更多我們的產品和  
解決方案

### Schneider Electric (Hong Kong) Limited 施耐德電氣(香港)有限公司

Hong Kong Office 香港辦事處：

11th Floor, Kerry Centre, 683 King's Road,  
Quarry Bay, Hong Kong

香港鰂魚涌英皇道683號嘉里中心11樓

Tel 電話：+852 2565 0621 Fax 傳真：+852 2811 1029

Customer Care Centre Hotline 客戶服務中心電話：+852 2579 9699

Customer Care Centre Email 客戶服務中心電郵 (Hong Kong & Macau 香港及澳門) : customercare.hk@se.com

 [Schneider Electric Hong Kong](#) 

Macau Branch Office 澳門分支辦事處：

Alameda Dr Carlos D'Assumpcao 180,  
Tong Nam Ah Central Comercio 13G, H & I, Macau

澳門新口岸宋玉生廣場180號東南亞商業中心13樓G, H及I室

Tel 電話：+853 2871 7488 Fax 傳真：+853 2871 7499

Customer Care Centre Hotline 客戶服務中心電話：+853 2875 1738

SEHK\_SEN\_PL\_225\_01 05/2022

© 2022 Schneider Electric. All rights reserved. Life Is On | Schneider Electric is a trademark and the property of Schneider Electric SE, its subsidiaries and affiliated companies.

